ERGON



IMPROVES RESISTANCE TO STRESS IMPROVES PHOTOSYNTHETIC EFFICIENCY ALLOWED IN ORGANIC FARMING

ERGON is a nutritional solution that stimulates growth when crops need to overcome main abiotic stresses.

In its unique formulation ERGON, thanks to the combined presence of polisaccarides, seaweed extract, growth promoters, hydrolysis-derived amino acids, vitamins' bio-stimulating activity and iron's greening effect, improves photosynthesis.

With an acidic pH ERGON is absorbed and made readily available for all physiological processes aimed at stimulating vegetative and root growth. ERGON has a renowned greening effect and can be applied on all crops, at all stages and in particular whenever crops are lagging due stress and whenever there is need to boost production.

CROP	TIME OF APPLICATION	DOSE/HECTARE*
Kiwifruit e Grapes	2-3 applications from vegetative restart to fruit enlargement, every 10-15 days	2-3 kg
Citrus (Orange, Bergamot, Clementine, Lemon, Tangerine)	2-3 applications from vegetative restart to fruit enlargement, every 10-15 days	2-3 kg
Stone fruits (Apricot, Cherry, Nectarine, Peach, Plum) e Pome fruits (Quince, Apple, Pear)	2-3 applications from vegetative restart to fruit enlargement, every 10-15 days	2-3 kg
Nut fruits	2-3 applications from vegetative restart to fruit enlargement, every 10-15 days	2-3 kg
Strawberries	3 applications from the beginning of flowering, every 10-15 days	2-3 kg
Fruiting vegetables (Watermelon, Cucumber, Eggplant, Melon, Pepper, Tomato, Zucchini, Pumpkin)	3-4 applications from the beginning of flowering, every 10-15 days	2-3 kg
Flowers and ornamentals	3-4 applications from the beginning of flowering, every 10-15 days	2-3 kg
Leafy vegetables (Chicory, Lettuce, Radicchio, Rocket, Escarole, Celery, Spinach)	, Radicchio, Rocket, At early vegetative phases or whenever a prompt vegetative restart is required	
Cereal crops (Oats, Wheat, Corn, Barley, Rice, Rye, Sorghum, Triticale)	At early vegetative phases in combination with herbicide/pesticide treatments	3 kg
Industrial crops (Beets, Sugarcane, Rapeseed, Cotton, Sunflower, Industrial tomato, Soybeans, Tobacco)	At early vegetative phases or whenever a prompt vegetative restart is required	3 kg

COMPOSITION	
Organic nitrogen (N)	4.00%
Organic nitrogen (N) soluble	3.60%
Carbon (C) of biological origin	12.00%
Iron (Fe) soluble in water	3.00%

PHYSICO-CHEMICAL FEATURES		
LIQUID		
pH (sol 1%)	2.6	
Conductivity E.C. μS/cm (1‰)	385	
Density (g/cm³)/Specific weight	1.21	
METHOD OF USE	₽	
	Foliar fertilization	

PACKAGING: 1 - 6 - 25 KG

NOTE: ERGON can be also used in fertigation, with a 1,5-3 kg/1000 m² dose and every 10-12 days.